

放射接口回传bug

2025-02-10 17:05 - Liu 耀

状态:	已解决	开始日期:	2025-02-10
优先级:	紧急	计划完成日期:	2025-02-28
指派给:	李 刚	% 完成:	100%
类别:		预期时间:	4:00 小时
目标版本:		耗时:	2:30 小时
描述			
例，订单A存在头颅、颈椎、胸部三个部位的CT，但是放射实际检查了头颅、颈椎两个部位，但是回传结果的时候，会出现三条数据，其中胸部CT的项目状态会被标记为报告回传，实际回传的可能是头颅的CT结果目前看逻辑回传用的子项目的外部编码判断的，怀疑是这个原因导致的；建议优化接口，回传结果通过开单项目的外部项目进行判断回传，这样才能实现一一对应。			

历史记录

- #1 - 2025-02-24 08:55 - 李 刚
- 状态 从 新建 变更为 进行中
- #2 - 2025-02-24 09:37 - 李 刚
- 计划完成日期 被设置为 2025-02-25
- #3 - 2025-02-24 11:15 - 杨 鑫迪
- 预期时间 被设置为 2:00 小时
- #4 - 2025-02-24 11:15 - 杨 鑫迪
- 预期时间 从 2:00 小时 变更为 4:00 小时
- #5 - 2025-02-25 19:19 - 李 刚
- 计划完成日期 从 2025-02-25 变更为 2025-02-28
- #6 - 2025-02-26 17:38 - 李 刚
- 状态 从 进行中 变更为 未按计划开始
- #7 - 2025-02-28 15:33 - 李 刚
- 状态 从 未按计划开始 变更为 已解决
- % 完成 从 0 变更为 100

对象

20250228- (0) @eKeyPE.dbo (体检...

20250228- (1) 应回传 @eKeyPE.db...

20250228- (3) 查询关系 @eKeyPE.d...

保存

查询创建工具

美化 SQL

代码段

文本

导出结果

体检库

eKeyPE

dbo

运行

停止

解释

```
1 SELECT b.CardNum , c.CustomerName Name, c.CustomerCode PatientID,
2 c.Sex, REPLACE( CONVERT ( DATE, c.Birthday ), '-', '' ) AS Birthday,
3 c.IDCardNum , c.Addr , b.CardNum AS VisitNum,
4 b.OrderCode, f.AccNum , e.OutCode, a.ItemCode, d.ItemName,
5 b.OrderStatus, a.CheckStatus , a.CanGetReport
6 FROM
7 DD_OrderItem a WITH ( nolock )
8 INNER JOIN DD_Order b WITH ( nolock ) ON a.OrderCode = b.OrderCode
9 INNER JOIN DD_Customer c WITH ( nolock ) ON b.CustomerCode = c.CustomerCode
10 INNER JOIN DIC_OrderItem d WITH ( nolock ) ON a.ItemCode = d.ItemCode
11 LEFT JOIN IFS_DIC_OrderItem e WITH ( nolock ) ON e.ItemCode = a.ItemCode
12 INNER JOIN AKF_CheckItemLog f WITH ( nolock ) ON (f.OrderCode = b.OrderCode AND e.OutCode = f.ItemCode)
13 WHERE
14 d.DeptCode IN ( 'K20', 'K21', 'K22', 'K43', 'K56', 'K57' )
15 -- AND b.OrderStatus > 0
16 -- AND b.OrderStatus < 4
17 AND a.IsGiveUp = 0
18 AND b.IsGiveUp = 0
19 -- AND a.CheckStatus = 1
20 -- AND a.CanGetReport = 1
21 and b.CardNum='EJ2502080022'
22 |
23 -- AND b.CheckBeginTime >= '{DateTime.Now.AddDays(-860).ToString("yyyy-MM-dd")}' order by b.CheckBeginTime desc
24 /* and b.CardNum in('E32405140006','E32405060111') */
```

信息

结果 1

CardNum	Name	PatientID	Sex	Birthday	IDCardNum	Addr	VisitNum	OrderCode	AccNum	OutCode	ItemCode	ItemName
EJ2502080022	郭庆波	D5BC42AE-100F-43BF-	1	19730811	372523197308111639	山东省莒县 EJ2502080022		0B98F783-0348-439C-AA29-1E40EF1AD8AF	CT02503186	17CT7U131	40643	颅脑血管CTA
EJ2502080022	郭庆波	D5BC42AE-100F-43BF-	1	19730811	372523197308111639	山东省莒县 EJ2502080022		0B98F783-0348-439C-AA29-1E40EF1AD8AF	CT02503186	17CT7U332	40644	冠状动脉CTA

对象

20250228- (0) @eKeyPE.dbo (体检...

20250228- (1) 应回传 @eKeyPE.db...

20250228- (3) 查询关系 @eKeyPE.d...

保存

查询创建工具

美化 SQL

代码段

文本

导出结果

体检库

eKeyPE

dbo

运行

停止

解释

```
1 SELECT
2 ord.CardNum ,
3 ord.OrderCode,
4 rptSubItem.ItemCode AS RptItemCode,
5 rptSubItem.SubItemCode AS RptSubItemCode,
6 rptSubItem.SubItemName AS RptSubItemName,
7 rptItem.ItemName AS RptItemName,
8 orderItem.ItemCode AS ItemCode,
9 IFS0.OutCode,
10 n.ItemName
11 FROM
12 DD_OrderItem orderItem WITH ( nolock )
13 INNER JOIN DD_Order ord WITH ( nolock ) ON orderItem.OrderCode = ord.OrderCode
14 INNER JOIN IFS_DIC_OrderItem IFS0 WITH ( nolock ) ON orderItem.itemcode= IFS0.ItemCode
15 INNER JOIN DIC_RptSubItemVsOrderItem rptVsItem WITH ( nolock ) ON rptVsItem.OrderItemCode = orderItem.ItemCode
16 INNER JOIN DIC_RptSubItem rptSubItem WITH ( nolock ) ON rptSubItem.SubItemCode = rptVsItem.RptSubItemCode
17 INNER JOIN DIC_RptItem rptItem WITH ( nolock ) ON rptItem.ItemCode = rptSubItem.ItemCode
18 --INNER JOIN IFS_DIC_RptSubItemVs3rd ifsVs3rd with(nolock) ON ifsVs3rd.RptSubItemCode = rptSubItem.SubItemCode
19 LEFT JOIN DIC_OrderItem n ON orderItem.ItemCode= n.ItemCode
20 WHERE
21 ord.CardNum IN ( 'EJ2502280063' )
22 AND n.DeptCode IN ( 'K20', 'K21', 'K22', 'K43', 'K56', 'K57' ) |
23 AND OutCode = '16CT1U300'
```

信息

结果 1

CardNum	OrderCode	RptItemCode	RptSubItemCode	RptSubItemName	RptItemName	ItemCode	OutCode	ItemName
EJ2502280063	829B8C10-2059-49D3-88FC-D4C76438E0C0	100346	97015	CT	放射科 (CT)	40616	16CT1U300	胸部CT平扫

代码修改后已提交，与刘耀沟通了，更新后先测试，有问题及时反馈

#8 - 2025-02-28 15:33 - 李刚

- 文件 bc480c168e58314af1c52b7d7cd55a2d.png 已添加

对象

20250228- (0) @eKeyPE.dbo (体检...

20250228- (1) 应回传 @eKeyPE.db...

20250228- (3) 查询关系 @eKeyPE.d...

保存

查询创建工具

美化 SQL () 代码段

文本

导出结果

体检库

eKeyPE

dbo

运行

停止

解释

```
1 SELECT b.CardNum , c.CustomerName Name, c.CustomerCode PatientID,
2 c.Sex, REPLACE( CONVERT ( DATE, c.Birthday ), '-', '' ) AS Birthday,
3 c.IDCardNum , c.Addr , b.CardNum AS VisitNum,
4 b.OrderCode, f.AccNum , e.OutCode, a.ItemCode, d.ItemName,
5 b.OrderStatus, a.CheckStatus , a.CanGetReport
6 FROM
7 DD_OrderItem a WITH ( noLock )
8 INNER JOIN DD_Order b WITH ( noLock ) ON a.OrderCode = b.OrderCode
9 INNER JOIN DD_Customer c WITH ( noLock ) ON b.CustomerCode = c.CustomerCode
10 INNER JOIN DIC_OrderItem d WITH ( noLock ) ON a.ItemCode = d.ItemCode
11 LEFT JOIN IFS_DIC_OrderItem e WITH ( noLock ) ON e.ItemCode = a.ItemCode
12 INNER JOIN AKF_CheckItemLog f WITH ( noLock ) ON (f.OrderCode = b.OrderCode AND e.OutCode = f.ItemCode)
13 WHERE
14 d.DeptCode IN ( 'K20', 'K21', 'K22', 'K43', 'K56', 'K57' )
15 -- AND b.OrderStatus > 0
16 -- AND b.OrderStatus < 4
17 AND a.IsGiveUp = 0
18 AND b.IsGiveUp = 0
19 -- AND a.CheckStatus = 1
20 -- AND a.CanGetReport = 1
21 and b.CardNum='EJ2502080022'
22 |
23 -- AND b.CheckBeginTime >= '{DateTime.Now.AddDays(-860).ToString("yyyy-MM-dd")}' order by b.CheckBeginTime desc
24 /* and b.CardNum in('E32405140006','E32405060111') */
```

信息

结果 1

CardNum	Name	PatientID	Sex	Birthday	IDCardNum	Addr	VisitNum	OrderCode	AccNum	OutCode	ItemCode	ItemName
EJ2502080022	郭庆波	D5BC42AE-100F-43BF-	1	19730811	372523197308111639	山东省莒县 EJ2502080022		0B98F783-0348-439C-AA29-1E40EF1AD8AF	CT02503186	17CT7U131	40643	颅脑血管CTA
EJ2502080022	郭庆波	D5BC42AE-100F-43BF-	1	19730811	372523197308111639	山东省莒县 EJ2502080022		0B98F783-0348-439C-AA29-1E40EF1AD8AF	CT02503186	17CT7U332	40644	冠状动脉CTA

#9 - 2025-02-28 15:33 - 李刚

- 文件 801a4a8a69f1fcc78dafc8112c495d23.png 已添加

对象

20250228- (0) @eKeyPE.dbo (体检...

20250228- (1) 应回传 @eKeyPE.db...

20250228- (3) 查询关系 @eKeyPE.d...

保存

查询创建工具

美化 SQL () 代码段

文本

导出结果

体检库

eKeyPE

dbo

运行

停止

解释

```
1 SELECT
2 ord.CardNum ,
3 ord.OrderCode,
4 rptSubItem.ItemCode AS RptItemCode,
5 rptSubItem.SubItemCode AS RptSubItemCode,
6 rptSubItem.SubItemName AS RptSubItemName,
7 rptItem.ItemName AS RptItemName,
8 orderItem.ItemCode AS ItemCode,
9 IFS0.OutCode,
10 n.ItemName
11 FROM
12 DD_OrderItem orderItem WITH ( noLock )
13 INNER JOIN DD_Order ord WITH ( noLock ) ON orderItem.OrderCode = ord.OrderCode
14 INNER JOIN IFS_DIC_OrderItem IFS0 WITH ( noLock ) ON orderItem.itemcode= IFS0.ItemCode
15 INNER JOIN DIC_RptSubItemVsOrderItem rptVsItem WITH ( noLock ) ON rptVsItem.OrderItemCode = orderItem.ItemCode
16 INNER JOIN DIC_RptSubItem rptSubItem WITH ( noLock ) ON rptSubItem.SubItemCode = rptVsItem.RptSubItemCode
17 INNER JOIN DIC_RptItem rptItem WITH ( noLock ) ON rptItem.ItemCode = rptSubItem.ItemCode
18 --INNER JOIN IFS_DIC_RptSubItemVs3rd ifsVs3rd with(noLock) ON ifsVs3rd.RptSubItemCode = rptSubItem.SubItemCode
19 LEFT JOIN DIC_OrderItem n ON orderItem.ItemCode= n.ItemCode
20 WHERE
21 ord.CardNum IN ( 'EJ2502280063' )
22 AND n.DeptCode IN ( 'K20', 'K21', 'K22', 'K43', 'K56', 'K57' ) |
23 AND OutCode = '16CT1U300'
```

信息

结果 1

CardNum	OrderCode	RptItemCode	RptSubItemCode	RptSubItemName	RptItemName	ItemCode	OutCode	ItemName
EJ2502280063	829B8C10-2059-49D3-88FC-D4C76438E0C0	100346	97015	CT	放射科 (CT)	40616	16CT1U300	胸部CT平扫

#10 - 2025-03-06 14:17 - Liu 耀

更新发版后，sql把CPU吃到了99%，暂时还原了

文件

bc480c168e58314af1c52b7d7cd55a2d.png	73.6 KB	2025-02-28	李刚
801a4a8a69f1fcc78dafc8112c495d23.png	60.9 KB	2025-02-28	李刚